



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/806,274	03/27/2001	Wayne Edward Beimesch	390780	6754

7590 11/16/2006

Peter C Knops
Lathrop & Gage
2345 Grand Boulevard Suite 2800
Kansas City, MO 64108

EXAMINER

ROGERS, DAVID A

ART UNIT	PAPER NUMBER
----------	--------------

2856

DATE MAILED: 11/16/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

8/

Office Action Summary

Application No. 09/806,274		Applicant(s) BEIMESCH, WAYNE EDWARD	
Examiner David A. Rogers		Art Unit 2856	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 September 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 March 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Double Patenting

1. A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See *Miller v. Eagle Mfg. Co.*, 151 U.S. 186 (1894); *In re Ockert*, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970). A statutory type (35 U.S.C. 101) double patenting rejection can be overcome by canceling or amending the conflicting claims so they are no longer coextensive in scope. The filing of a terminal disclaimer cannot overcome a double patenting rejection based upon 35 U.S.C. 101.

2. Claims 1-3 and 6 of this application conflict with claims 11-13 of Application No. 10/724,564¹. 37 CFR 1.78(b) provides that when two or more applications filed by the same applicant contain conflicting claims, elimination of such claims from all but one application may be required in the absence of good and sufficient reason for their retention during pendency in more than one application. Applicant is required to either cancel the conflicting claims

¹ In their 22 September 2006 response the applicant stated that claims 11-13 of application 10/724,564 were cancelled. It is noted, however, that as of the mailing of this office action, no response has been filed in the '564 application. Therefore, this rejection is being maintained.

from all but one application or maintain a clear line of demarcation between the applications. See MPEP § 822.

Since the U.S. Patent and Trademark Office normally will not institute an interference between applications or a patent and an application of common ownership (see MPEP Chapter 2300), the assignee is required to state which entity is the prior inventor of the conflicting subject matter. A terminal disclaimer has no effect in this situation since the basis for refusing more than one patent is priority of invention under 35 U.S.C. 102(f) or (g) and not an extension of monopoly. Failure to comply with this requirement will result in a holding of abandonment of this application.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over the applicant's admitted prior art in view of United States Patent 5,140,845 to Robbins, United States Patent 5,809,664 to Legros *et al.*, "Chemical Principles" to Masterton *et al.*, and "Compilation of Air Pollutant Emission Factors, AP-42" to the Environmental Protection Agency (EPA), hereinafter referred to as EPA Method AP-42.

Art Unit: 2856

The applicant admits that monitoring and controlling volatile organic compound (VOC) emissions is known. More specifically, the applicant states (emphasis added):

A long-standing problem in the chemically-related manufacturing industry has been the way in which the rate of VOC emissions is controlled and monitored. The concerns associated with VOC control and monitoring are well rooted in governmental policies throughout the world, all of which are aimed at reducing the emission of such VOCs into the atmosphere. Additionally, the manufacturing industries themselves have been notably concerned with safety and environmental concerns associated with VOC emissions. As a result, since the onset of the industrial revolution, the chemically-related manufacturing industry has striven for zero to minimal VOC emissions. To that end, relatively expensive and time-consuming VOC measurement techniques have been developed and have been constantly employed to monitor VOC emissions of virtually every unit operation in every manufacturing facility throughout the world. In fact, numerous companies have sprouted into existence which specialize in testing techniques for VOCs and aid in ensuring compliance with specific strict company as well as governmental regulations. Such specialization and expertise render these services extremely expensive, and therefore, significantly add to the overall expense of whatever product is being manufactured. Accordingly, there remains a need in the art for an inexpensive, less time-consuming, method by which VOCs can be conveniently measured for a given material being produced in a process system.

The admitted prior art teaches that virtually every unit operation in every manufacturing facility throughout the world monitors for VOC emissions. There is no express mention in the admission for monitoring and/or sampling from a fluid bed dryer, a spray bed dryer, or a storage tank. The admitted prior art also does not teach holding the sampled material at a mean exit temperature of the emissions of a process system.

With regard to the first issue it is noted that Legros *et al.* teaches that known that fluid bed dryers can operate up to 400 °C and are a known source of VOCs.

With regard to the second issue Robbins teaches a simple, low cost process for sampling and detecting VOCs. In particular Robbins teaches a

Art Unit: 2856

process of sampling material from a system, storing the sample in an enclosed bag, sealing the bag, storing the bag until equilibrium is reached in the headspace, and then sampling the headspace in order to determine if VOCs are present. This detection is accomplished using a flame ionization detector (FID). It is known that gas chromatographs and FIDs are used to determine analyte quantities in the sample based on the peak value; i.e., the measured response of the GC/FID. Robbins does not expressly teach a method wherein the sampled material is stored at the mean exit temperature of said emissions of said system.

Masterton *et al.* is cited herein to provide support of the commonly known scientific principles of liquid-vapor headspace equilibrium in a closed system. In Masterton *et al.* a sealed flask is used, however the scientific principles apply equally to a sealed bag. Masterton *et al.* teaches that a liquid placed in the closed system will, over time, reach a state of equilibrium with regard to the headspace. Equilibrium is the state wherein, at any given temperature, the number of molecules from the liquid entering into the vapor state (into the headspace) equals the number of molecules reentering the liquid state. At higher temperatures a larger fraction of molecules will acquire enough energy to escape from the liquid to the vapor. This means that at higher temperatures more vapor molecules will be present in the headspace than at lower temperatures. Over time a state of headspace equilibrium will be

Art Unit: 2856

reached. It is just that more molecules will be present in the vapor when equilibrium is reached using higher temperatures.

Furthermore, EPA Method AP-42, §6.8.3.1, states (emphasis added):

The main atmospheric pollution problem in soap manufacturing is odor². The storage and handling of liquid ingredients (including sulfonic acids and salts) and sulfates are some of the sources of this odor. Vent lines, vacuum exhausts, raw material and product storage, and waste streams are all potential odor sources. Control of these odors may be achieved by scrubbing exhaust fumes and, if necessary, incinerating the remaining volatile organic compounds (VOC).

In §6.8.3.2 it is also stated (emphasis added):

In addition to particulate emissions, volatile organics may be emitted when the slurry contains organic materials with low vapor pressures. The VOCs originate primarily from the surfactants included in the slurry. The amount vaporized depends on many variables such as tower temperature and the volatility of organics used in the slurry. These vaporized organic materials condense in the tower exhaust airstream into droplets or particles. Paraffin alcohols and amides in the exhaust stream can result in a highly visible plume that persists after the condensed water vapor plume has dissipated.

Opacity and the organic emissions are influenced by granule temperature and moisture at the end of drying, temperature profiles in the dryer, and formulation of the slurry. A method for controlling visible emissions would be to remove offending organic compounds (i.e., by substitution) from the slurry. Otherwise, tower production rate may be reduced thereby reducing air inlet temperatures and exhaust temperatures. Lowering production rate will also reduce organic emissions.

It is quite clear from the teachings of Method AP-42 that process system temperatures are a major causal factor in the amount of VOCs released into the atmosphere. Furthermore, fluid bed dryers (from Legros *et al.*), drying towers, vent lines, vacuum exhausts, and waste streams are all regions within a process system whose temperature can be measured.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of the admitted prior art with the teachings of Robbins, Legros *et al.*, Masterton *et al.*, and EPA Method AP-42 in

² EPA Method AP-42 refers to odors as VOCs.

order to provide a sample of material produced in a process system such as a fluid bed dryer, seal the material in an enclosed bag in order to have a headspace, holding the material at the mean exit temperature of the emissions of the fluid bed dryer in order to allow the headspace to come to equilibrium, and then testing for the presence of VOCs using techniques such as an FID.

First, sampling from a fluid bed dryer would have been obvious since the applicant admits that virtually every manufacturing facility worldwide must monitor for VOCs, and Legros *et al.* teaches that fluid bed dryers are a known source of VOCs. Furthermore, replicating the conditions of the process that creates VOC-containing products; i.e., replicating the temperatures at which VOC-containing products are manufactured or processed would allow one to determine if the process was indeed causing excessive VOCs to be released into the atmosphere. Finally, Robbins teaches a low-cost, simple method and apparatus for detecting VOCs in relatively small samples. One would certainly look to the teachings of Robbins in order to implement an ongoing sampling process that reduces expenses and is also relatively simple to perform. Finally, Robbins clearly addresses this shortcoming noted in the applicant's admitted prior art; i.e., Robbins clearly shows an inexpensive, less time-consuming process for conveniently measuring VOCs.

With regard to claim 3 the only difference between this claim and claim 2 is the replacement of the term "fluid bed dryer" with "spray bed dryer" as the source of the sampled material. Again, the admitted prior art teaches that

virtually every unit operation in every manufacturing facility throughout the world monitors for VOC emissions. Furthermore, EPA Method AP-42 states in §6.8.3.1 that spray bed dryers are a known source of VOCs. One of ordinary skill would be motivated and, more than likely, legally required obtain samples from the spray bed drying process in order to determine the amount of VOCs being released.

With regard to claim 6 the only difference between this claim and claim 2 or 3 is the replacement of the term “fluid bed dryer” or “spray bed dryer” with “storage tank” as the source of the sampled material. Again, the admitted prior art teaches that virtually every unit operation in every manufacturing facility throughout the world monitors for VOC emissions. Furthermore, EPA Method AP-42 states in §6.8.3.1 that product storage areas; e.g., storage tanks, are a known source of VOCs. One of ordinary skill would be motivated and, more than likely, legally required obtain samples from the storage tank process in order to determine the amount of VOCs being released.

With regard to claim 4 Robbins teaches that time is a relevant factor to reach the desired equilibrium in the headspace (column 4, lines 57-58). One of ordinary skill would know to store the material in the enclosed bag for a time sufficient to reach equilibrium as this would produce a VOC concentration in the headspace that is representative of actual process system operation. The applicant has not providing any evidence, either in the specification or in any response to any office action, that their claimed storage time produces an

unexpected or unobvious result over the teachings of the prior art. See *In re Woodruff*, 919 F.2d 1575, 1578 [16 USPQ2d 1934] (Fed. Cir. 1990) ((where “the difference between the claimed invention and the prior art is some range or other variable within the claims..., the [patentee] must show that the particular range is critical, generally by showing that the claimed range achieves unexpected results) and (Courts have long held ... that even though [a] modification results in great improvement and utility over the prior art, it may still not be patentable if the modification was within the capabilities of one skilled in the art, unless the claimed ranges “produce a new and unexpected result which is different in kind and not merely in degree from the results of the prior art.” (quoting *In re Aller*, 220 F.2d 454, 456 [105 USPQ 233] (C.C.P.A. 1955))))).

With regard to claim 5 Robbins teaches that the initial mass of the sample is directly related to the measured equilibrium headspace concentration (equation 5, equation 7). One of ordinary skill would know to provide a representative sample size from the process system necessary for reaching equilibrium in the headspace so that the VOC concentration is representative of actual process system operation. See again *In re Woodruff*.

With regard to claim 7 one of ordinary skill would choose a temperature that is representative of the specific operating conditions of the process system; e.g., spray bed dryer, fluid bed dryer, storage tank, etc., that is producing

Art Unit: 2856

VOCs so that the headspace VOC concentration is representative of actual process system operation. See again *In re Woodruff*.

Response to Arguments

5. Applicant's arguments filed 22 September 2006 have been fully considered but they are not persuasive.

The applicant argues that each of the references applied in the grounds of rejection individually fail to teach the applicant's invention. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

"Manual for the Certification of Laboratories Analyzing Drinking Water - EPA 815-B-97-001" to the EPA teaches that certified sampling processes require the need for instructions with a kit used for sampling of VOCs. On page IV-3, §5 it is stated:

"All procedural steps in these methods are considered requirements"

Furthermore, §6 states:

"The manner in which samples are collected and handled is critical to obtaining valid data. It is important that a written sampling protocol with specific sampling instructions be

available to and used by sample collectors and available for inspection by the certification officer."

and

"The sample collector should be trained in sampling procedures and have complete written sampling instructions (SOPs) for each type of sample to be collected."

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a). A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A. Rogers whose telephone number is (571) 272-2205. The examiner can normally be reached on Monday - Friday (0730 - 1600). If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron E. Williams can be reached on (571) 272-2208. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2856

9. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

dar

13 November 2006


HEZRON WILLIAMS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800